



Attorney Docket No. 1619.1003

10/3

THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of:

Yuichi ARITA et al.

Application No.: 09/513,855

ATTENTION

Confirmation No.: 7401

CERTIFICATE OF CORRECTION

Filed: February 25, 2000

BRANCH

U.S. Patent No.: 7,062,416

Batch No.:

Issued: June 13, 2006

For: DEVICE AND METHOD FOR DISPLAYING BODY SECTION AND MEDIUM FOR
STORING A PROGRAM REGARDING THE SAME

REQUEST FOR CERTIFICATE OF CORRECTION

Commissioner for Patents
PO Box 1450
Alexandria, VA 22313-1450

Certificate
SEP 26 2006
of Correction

Sir:

Patentee(s) respectfully request(s) that a Certificate of Correction be issued in the subject patent, pursuant to 35 USC § 254 and 37 CFR § 1.322, to correct the error(s) shown on the attached Form PTO-1050. A check in the amount of \$100 to cover the cost of the Certificate is attached.

One or more of the errors shown on the attached Form PTO-1050 is or are within the responsibility of the undersigned; each thereof is of a clerical or typographical nature or of minor character and occurred in good faith, and the correction thereof is consistent with the prosecution record.

Respectfully submitted,

STAAS & HALSEY LLP

Date:

Sept. 20, 2006

By:

H. J. Staas

Registration No. 22,010

1201 New York Ave, N.W., 7th Floor
Washington, D.C. 20005
Telephone: (202) 434-1500
Facsimile: (202) 434-1501

09/22/2006 09:00:00 03030825 7012416

01 7012416

100.00 07

SEP 27 2006

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO : 7,062,416

DATED : June 13, 2006

INVENTOR(S) : Yuichi ARITA et al.

It is certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

Column 35, Line 32, change "three dimension" to --three-dimensional--.

Column 36, Line 38, after "computer" insert --in--.

Column 38, Line 2, change "three dimensional" to --three-dimensional--.

Column 38, Line 32, delete "of" before "and".

Column 38, Line 38, change "three dimension" to --three-dimensional--.

Column 39, Line 49, after "computer" change "to" to --in--.

Column 39, Line 62, after "computer" change "to" to --in--.

Column 40, Line 9, change "cross section" to --cross-section--.

MAILING ADDRESS OF SENDER:

STAAS & HALSEY
1201 New York Avenue, N.W.
7th Floor
Washington, DC 20005

PATENT NO. 7,062,416

No. of add'l copies
@ 304 per page

323 27 2006